

NC29791

5 CLAIMS

1. A communications device comprising:
means for transmitting a signal to another party; and
means for controlling the signal level with which said transmitting means
transmits, wherein said signal level is initially relatively low and when a connection
is established with said another party, said signal level is increased.

10
2. A communications device as claimed in claim 1, wherein said control
means is arranged to control the power of said signal.
- 15
3. A communications device as claimed in claim 1 or 2, wherein said control
means is arranged to control the signal level of the transmitted signal to be one of
only two levels, the initially relatively low level and the increased level.
- 20
4. A communications device as claimed in claim 1 or 2, wherein said signal
level is initially at a starting level and is increased to the relatively low level.
5. A communications device as claimed in claim , wherein said starting point
is no signal.
- 25
6. A communications device as claimed in claim 1, 2, 4 or 5, wherein said
signal level is increased until a connection is established with said another party.
7. A communications device as claimed in claim 6, wherein said signal level
30 has a maximum value to which it can be increased when no connection has been
established with said another party.

NC29791

- 5 8. A communications device as claimed in claim 7, wherein said maximum value is less than the signal level used when a connection with the another party has been established.
9. A communications device comprising:
- 10 means for receiving a signal from another party; and
means for controlling the signal level with which said signal is received, wherein said signal level is initially relatively low and when a connection is established with said another party, said signal level is increased.
- 15 10. A communications device as claimed in claim 9, wherein said control means is arranged to attenuate the signal level of the received signal by a first amount or a second amount only to provide the initially relatively low level and the increased level.
- 20 11. A communications device as claimed in claim 9, wherein said signal is arranged to be attenuated by a starting amount and the attenuation is reduced to provide signals at the relatively low level.
- 25 12. A communications device as claimed in claim 11, wherein said starting point is maximum attenuation.
- 30 13. A communications device as claimed in claim 9, 11 or 12, wherein attenuation of the received signal level is decreased until a connection is established with said another party.
14. A communications device as claimed in claim 13, wherein said attenuation has a minimum value to which it can be decreased when no connection has been established with said another party.

NC29791

- 5 15. A communications device as claimed in claim 14, wherein said minimum value is greater than the attenuation used when a connection with the another party has been established.
- 10 16. A communications device as claimed in any of claims 9 to 15, wherein no attenuation is applied to the received signals when a connection has been established.
- 15 17. A communications device as claimed in any preceding claim, wherein said control means comprises an attenuator.
- 20 18. A communications device as claimed in any preceding claim, wherein when a plurality of another parties are provided, said communications device is arranged to establish a connection with the closest another party.
- 25 19. A communications device as claimed in any preceding claim, wherein said communications device is one of the following devices:
point of sale device; ticket gate device; and information kiosk; ATM.
- 30 20. A communications device as claimed in any preceding claim, wherein said connection with said another party is a wireless connection.
21. A communications device as claimed in claim 20, wherein said wireless connection is a high frequency connection.
- 35 22. A communications device as claimed in claim 21, wherein said high frequency connection is of the order of giga Hertz.
23. A communications device as claimed in claim 22, wherein said wireless connection is a Bluetooth link.

NC29791

5

24. A communications device as claimed in claim 20, wherein the wireless connection is an infrared connection.

10 25. A communications device as claimed in any preceding claim, wherein said another party is a mobile telephone.

26. A communications method comprising the steps of:
transmitting initially a signal to another party at a relatively low signal level;
establishing a connection with the another party; and
increasing the signal level with which signals are transmitted to said another party after said connection has been established.

20 27. A communications method comprising the steps of:
receiving a signal from another party;
attenuating said received signal by a first amount;
establishing a connection with the another party;
decreasing or removing the attenuation applied to said received signals when a connection has been established.

215
220
225
230
235
240
245
250
255
260
265
270
275
280
285
290
295
300
305
310
315
320
325
330
335
340
345
350
355
360
365
370
375
380
385
390
395
400
405
410
415
420
425
430
435
440
445
450
455
460
465
470
475
480
485
490
495
500
505
510
515
520
525
530
535
540
545
550
555
560
565
570
575
580
585
590
595
600
605
610
615
620
625
630
635
640
645
650
655
660
665
670
675
680
685
690
695
700
705
710
715
720
725
730
735
740
745
750
755
760
765
770
775
780
785
790
795
800
805
810
815
820
825
830
835
840
845
850
855
860
865
870
875
880
885
890
895
900
905
910
915
920
925
930
935
940
945
950
955
960
965
970
975
980
985
990
995
1000